

# MATERIAL SAFETY DATA SHEET

## SECTION 1 - MANUFACTURER INFORMATION

MANUF / DIST: COOK AUTO SUPPLY  
3590 NORTH 126th STREET  
BROOKFIELD, WI 53005

PREPARER / CONTACT: TOM COOK  
PREPARER PHONE: 262-783-1539  
24 HOUR EMERGENCY PHONE: INFOTRAC 1-800-535-5053

TRADE NAME / SYNONYMS: **AMMONIATED GLASS CLEANER READY-TO-USE**  
CHEMICAL NAME / SYNONYMS: NOT APPLICABLE  
CHEMICAL FAMILY: NOT APPLICABLE  
FORMULA: PROPRIETARY  
PRODUCT CODE: NOT APPLICABLE

## SECTION 1 HAZARDOUS MATERIAL IDENTIFICATION SYSTEM:

<p>HAZARD WARNING</p> <p>4 - Extreme</p> <p>3 - High</p> <p>2 - Moderate</p> <p>1 - Slight</p> <p>0 - Insignificant</p> <p>X- See Section IV of M.S.D Sheet</p>	<p>A diamond-shaped hazard label divided into four quadrants. The top quadrant is red with the number '2' and the word 'FIRE' above it. The left quadrant is blue with the number '1' and the word 'HEALTH' to its left. The right quadrant is yellow with the number '0' and the word 'REACTIVITY' to its right. The bottom quadrant is white with a black 'X' and the word 'SPECIFIC' below it.</p>
---	---

## SECTION 2 - HAZARDOUS INGREDIENTS

NAMES OF HAZARDOUS INGREDIENTS: See CFR29§1910.1200 (i)-(13)

CHEMICAL / COMMON NAME	CAS#	PERCENTAGE	PEL-OSHA	TLV-ACGIH
2 Butoxy Ethanol (Skin)	111-76-2	<1	50PPM	25PPM
Isopropyl	67-63-0	<1	400PPM	400PPM
Ammonia	7664-41-7	<0.5	50PPM	25PPM

THIS PRODUCT DOES **NOT** CONTAIN CARCINOGENS: (NTP, IARC, OSHA)

## SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (ACUTE AND CHRONIC):

\*Acute\*:

- Eyes -Intense pain with tissue destruction.
- Skin - Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.
- Inhalation - Breathing of dust or mist can cause mild to severe irritation of nasal or respiratory passage.
- Ingestion - Can cause gastro-intestinal irritation, nausea, vomiting and diarrhea.

\*Chronic\*

- Inhalation may increase susceptibility to respiratory illness.

# MATERIAL SAFETY DATA SHEET

- b) Overexposure to glycol ethers (in its pure state) has been found to cause anemia, liver abnormalities, kidney damage, lung damage and blood abnormalities in laboratory animals.

## PRIMARY ROUTES OF ENTRY:

- a) Skin      b) Inhalation

## MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Pre-existing skin, eye and respiratory disorders may be aggravated by exposure to product.

## EMERGENCY FIRST AID PROCEDURES:

- a) Skin - Immediately flush skin with lots of running water for at least 30 minutes. Remove contaminated clothing and shoes. Wash before reuse.
- b) Eyes - In case of contact, immediately flush with plenty of water. If irritation persists, seek medical aid.
- c) Inhalation - If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.
- d) Ingestion - Immediately drink 2 glasses of water and induce vomiting by either giving IPECAC syrup or by placing fingers at the back of throat. Never give anything by mouth to an unconscious person. Get medical attention immediately.

## SECTION 4 - CHEMICAL DATA

BOILING POINT (F):	>82.4°C	SPECIFIC GRAVITY (WATER=1):	0.815
VAPOR PRESSURE (mmHg)	N/D	PERCENT VOLATILE BY VOLUME (%):	100
VAPOR DENSITY (AIR=1):	N/D	EVAPORATION RATE (WATER=1):	< 1
SOLUBILITY IN WATER:	100%.		

APPEARANCE AND ODOR INFORMATION: Blue liquid with slight ammonia/alcoholic odor.

## SECTION 5 - FIRE & PHYSICAL HAZARD DATA

FLASH POINT 59°F (IPA Component) FLAMMABLE LIMITS: LEL= N/A UEL= N/A

EXTINGUISHING MEDIA: Not considered a fire hazard in mixed formulation.

SPECIAL FIRE FIGHTING PROCEDURES: None.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

INCOMPATIBILITY (Material To Avoid ): Material that reacts with water.

## HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal decomposition of burning may produce oxides of carbon.

THIS PRODUCT IS STABLE

## SECTION 6 - SPILL OR LEAK PROCEDURES

### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Absorb the large spill on suitable absorbent. Wash the residue down the drain or pit with plenty of water. Small spills can be flushed down the drain with plenty of water.

### WASTE DISPOSAL METHODS:

# MATERIAL SAFETY DATA SHEET

Dispose of according to local, state and federal regulations for biodegradable detergents.

## SECTION 7 - EXPOSURE CONTROL INFORMATION

### VENTILATION:

LOCAL EXHAUST: Below TLV(s)

MECHANICAL (General) : Explosion Proof

SPECIAL: N/A

OTHER: N/A

### RESPIRATORY PROTECTION:

An appropriate NIOSH approved hydrocarbon canister or respirator for organic vapor should be worn if needed.

### PROTECTIVE GLOVES:

Wear resistant gloves such as nitrile rubber, PVC, etc.

### OTHER PROTECTIVE EQUIPMENT:

Eye wash and quick drench facilities.

### OTHER ENGINEERING CONTROLS:

None Known

### WORK PRACTICES:

Eye wash fountain and safety shower should be easily accessible. Discard properly such items as rags and trash soaked with the product. Provide adequate ventilation.

### HYGIENIC PRACTICES:

Avoid contact with eyes, skin and clothing. Avoid inhalation of product vapors. Wash thoroughly after handling and before eating, drinking or smoking. Remove contaminated clothing promptly and wash thoroughly before reused.

## SECTION 8 - SPECIAL PRECAUTION

### PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

- a) Do not store under freezing conditions or above 120 degrees F.
- b) Protect from physical damage and keep tightly closed.
- c) Do not store near acids or acidic materials and oxidizers.
- d) Keep away from heat, sparks and open flames.
- e) Containers should be marked UN 1219 FLAMMABLE

### MAINTENANCE PRECAUTIONS:

When working with FLAMMABLE material electrically ground all equipment and use only non-sparking tools.

### OTHER PRECAUTIONS:

- a) containers, even those that have been emptied will retain product residue and vapors. Always obey hazard warnings.
- b) Always ground metal containers while pouring.

SHIPPING INFO, UN/NA #'s, SECONDARY LABEL INFO NECESSARY OR SUGGESTED:

**ISOPROPYL ALCOHOL MIXTURE, 3, UN1219, PG II, FLAMMABLE LIQUID**

**KEEP OUT OF REACH OF CHILDREN**

IN CLOSE COOPERATION OF THE US GOVERNMENT'S PAPER REDUCTION ACT, AND ALSO IN EFFORT TO PROVIDE FULL AND COMPLETE INFORMATION AS SUGGESTED BY THE OSHA GUIDELINES, AND KEEPING IN ALIGNMENT WITH THE SOCIETY for CHEMICAL HAZARD COMMUNICATION (SCHC)

# MATERIAL SAFETY DATA SHEET

THESE MSDS SHEETS ARE WRITTEN IN AN EFFORT TO PROVIDE INFORMATION TO THE WORKER IN THE WORKPLACE AND IN SUCH A WAY IT CAN BE UNDERSTOOD.

We have enjoyed many compliments as to the readability and understandable content, and take great pride in providing these Material Safety Data Sheets to the use of our customers.

The International Labor Organization has suggested 16 sections of the sheets, but we have included all of the information in 4 pages, thus eliminating paper use for unnecessary spaces of 16 separate sections.

THE INFORMATION CONTAINED HEREIN IS BELIEVED TO BE ACCURATE. IT IS PROVIDED FOR A CONTINUING SAFETY PROGRAM INITIATED BY THE MANUFACTURER/DISTRIBUTOR NAMED ON THIS SHEET. IT IS NOT INTENDED TO CONSTITUTE PERFORMANCE INFORMATION CONCERNING THE PRODUCT. NO EXPRESS WARRANTY, OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE IS MADE WITH RESPECT TO THE PRODUCT OR THE INFORMATION CONTAINED HEREIN.