

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	MIAMI MAGIC	DISTRIBUTOR	Cook Auto Supply		
SYNONYMS:	NA	ADDRESS:	3590 N. 126th Street		
PRODUCT CODES:	VOC 349		Brookfield WI	53005	USA
PRODUCT USE:	Vehicle Wax	PHONE NUMBER:	262-783-1539		
PREPARED BY:	Robert Blahnik	FAX NUMBER:	262-783-1547		
DATE PREPARED:	5-Oct-2012	24 HOUR EMERGENCY USA/CANADA:	INFOTRAC	1-800-535-5053	
DATE REVISED:	NA	24 HOUR EMERGENCY INTERNATIONAL:	INFOTRAC	1-352-323-3500	

SECTION 2: COMPOSITION / INGREDIENTS

Components not listed are either non-hazardous or in concentrations of less than 1%

<u>HAZARDOUS INGREDIENT:</u>	<u>CAS NO.</u>	<u>%WT</u>
Petroleum hydrocarbon solvent	64742-47-8	20-25%
Odorless Mineral Spirits	64741-65-7	5-10%
Silica, Crystalline (Quartz)	14808-60-7	5-10%

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Harmful if swallowed

ROUTE(S) OF ENTRY: EYES: Yes SKIN: Yes INGESTION: Yes INHALATION: Yes

POTENTIAL HEALTH EFFECTS: EYES: Irritant SKIN: Irritant INGESTION: Harmful INHALATION: Irritating vapors

ACUTE HEALTH HAZARDS: Can cause eye irritation. Excessive inhalation may cause respiratory irritation.
Prolonged skin contact may cause slight irritation. Ingestion can be harmful and cause gastrointestinal irritation.

CHRONIC HEALTH HAZARDS: Irritation, headache, nausea, vomiting, central nervous system depression.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate pre-existing skin conditions.

CARCINOGENICITY OSHA: Not Listed ACGIH: Not Listed NTP: Not listed IARC: Not Listed OTHER:

SECTION 4: FIRST AID MEASURES

EYES: Flush with water, especially under eyelids, for at least 15 minutes. Call physician.

SKIN: Wash with soap and water, see physician if irritation persists.

INHALATION: Remove to fresh air, give oxygen if needed.

INGESTION: Do not induce vomiting. Get medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: NA

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% BY VOLUME) UPPER: LOWER:

FLASH POINT: 200F >93.3C **METHOD USED:** TCC **AUTOIGNITION TEMPERATURE:** F C

NFPA HAZARD CLASSIFICATION: TOXICITY: 1 **FLAMMABILITY:** 1 **REACTIVITY:** 0 **OTHER:**

HMIS HAZARD CLASSIFICATION: HEALTH: 1 **FLAMMABILITY:** 1 **REACTIVITY:** 0 **PROTECTION:**

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: See hazardous decompositions

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide and other unidentified organic compounds may be released during combustion.

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION:

No data suggests that crystalline silica (quartz) is toxic to birds, fish, invertebrates, microorganisms or plants.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Federal, State and local regulations.

RCRA HAZARD CLASS: Not classified as a hazardous waste under the Resource Conservation and Recovery Act.

SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION

Flash point is above 200°F / 100°C

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with the 49 CFR

IATA - AIR TRANSPORTATION

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with IATA

IMDG - WATER TRANSPORTATION

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with IMDG

OTHER AGENCIES: NA

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances

EPA SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

302 EXTREMELY HAZARDOUS SUBSTANCES: None

304 CERCLA HAZARDOUS SUBSTANCES: None

311/312 HAZARD CLASS:	CAS NO.	CLASS
Petroleum hydrocarbon solvent	64742-47-8	Fire/Acute Health/Chronic
Odorless Mineral Spirits	64741-65-7	Fire/Acute Health/Chronic
Silica, Crystalline (Quartz)	14808-60-7	Health/Chronic

313 TOXIC CHEMICALS: None present or none present in regulated quantities

STATE REGULATIONS: Crystalline silica (quartz) CAS No. 14808-60-7 is listed and/or regulated in the following states:

California Proposition 65: Crystalline silica (airborne particles of respirable size) is classified as a substance known to the State of California to be a carcinogen.

California Inhalation Reference Exposure Level (REL): California established a chronic REL of 3 ug for silica (crystalline, respirable).

A chronic REL is an airborne level of a substance at or below which no adverse health effects are anticipated in individuals indefinitely exposed to the substance at that level.

Massachusetts Toxic Use Reduction Act: Silica, crystalline (respirable size, <10 microns) is "toxic" for purposes of the Massachusetts Toxic Use Reduction Act.

Pennsylvania Worker and Community Right to Know Act: Quartz is a hazardous substance under the Act, but it is not a special hazardous substance or an environmental hazardous substance.

WHMIS (CANADA) HAZARD SYMBOL AND CLASSIFICATION **Class D2A** Materials Causing Other Toxic Effects

INTERNATIONAL LISTS: Crystalline silica (quartz) CAS No. 14808-60-7 **EINECS No.** 238-878-4



All chemical substances in this material are included on or exempted from listing on the following lists: Australia (AICS), Canada (DSL/NDSL), Europe (EINECS/ELINCS), Korea (TCCL), Japan (METI), the Philippines (RA6969).

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION Cook Auto Supply

• END OF DOCUMENT •