SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PRO PHASE DISTRIBUTOR Cook Auto Supply

SYNONYMS: NA ADDRESS: 3590 N. 126th Street

PRODUCT CODES: VOC 296 Brookfield WI 53005 USA

PRODUCT USE: Vehicle Wax PHONE NUMBER: 262-783-1539
PREPARED BY: Robert Blahnik FAX NUMBER: 262-783-1547

DATE PREPARED: 17-Feb-2014 24 HOUR EMERGENCY USA/CANADA: INFOTRAC 1-800-535-5053

DATE REVISED: NA 24 HOUR EMERGENCY INTERNATIONAL: INFOTRAC 1-352-323-3500

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Components not listed are either non-hazardous or in concentrations of less than 1%

HAZARDOUS INGREDIENT: CAS NO: % WT:

Petroleum hydrocarbon solvent 64742-47-8 10-15%

Octamethylcyclotetrasiloxane 556-67-2 5-10%

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Combustible. Ingestion may be harmful

ROUTE(S) OF ENTRY: INHALATION: Yes SKIN: Yes INGESTION: Yes EYES: Yes

POTENTIAL HEALTH EFFECTS INHALATION: Vapors - Irritant skin: Irritant ingestion: Harmful eyes: Irritant

ACUTE HEALTH HAZARDS: Prolonged skin contact may cause slight irritation. Can cause eye irritation.

Ingestion can cause gastrointestinal irritation and harm. Excessive inhalation may cause respiratory irritation.

CHRONIC HEALTH HAZARDS: Irritation, headache, nausea, vomiting, central nervous system depression.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate pre-existing skin conditions.

CARCINOGENICITY OSHA: Not Listed ACGIH: Not Listed NTP: Not listed IARC: Not Listed OTHER:

SECTION 4: FIRST AID MEASURES

EYES: Flush with water, especially under eyelids, for at least 15 minutes. Call physician.

SKIN: Wash with soap and water, see physician if irritation persists.

INHALATION: Remove to fresh air, give oxygen if needed.

INGESTION: Do not induce vomiting. Get medical attention immediately.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: None beyond listed above

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% BY VOLUME) UPPER: LOWER:

FLASH POINT: 132 F 55 C METHOD USED: TCC AUTOIGNITION TEMPERATURE: F C

NFPA HAZARD CLASSIFICATION: TOXICITY: 1 FLAMMABILITY: 2 REACTIVITY: 0 OTHER:

HMIS HAZARD CLASSIFICATION: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0 PROTECTION:

EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical

SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS: See hazardous decompositions

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide and other inidentified organic compounds may be released during combustion.

Cook Auto Supply Pro Phase VOC296

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES:

Contain spill. Remove with inert absorbent material. Wash spill area with water.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE:

Store containers upright with lids (caps) tightly closed. Store between 40F(4C) - 100F(37.7C) Keep from freezing.

OTHER PRECAUTIONS: Keep out of the reach of children. Do not get in eyes or on skin.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION: LOCAL EXHAUST: Adequate MECHANICAL: OTHER:

RESPIRATORY PROTECTION: Avoid exposure levels. When exceeded, use self contained breathing apparatus.

EYE PROTECTION: Approved Safety Glasses skin Protection: Rubber or Neoprene Gloves

PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash fountain in work area is recommended.

WORK HYGIENIC PRACTICES: Observe good housekeeping practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Pale Yellow odor: Banana PHYSICAL STATE: Viscous Cream

BOILING POINT: 220 F 104 C pH AS SUPPLIED: NA

MELTING POINT: F C SOLUBILITY IN WATER: 90%

FREEZING POINT: F C EVAPORATION RATE: BASIS (Butyl Acetate=1): 1

SPECIFIC GRAVITY (H2O = 1): >1 VAPOR PRESSURE (mmHg):

VAPOR DENSITY (AIR = 1): >1

SECTION 10: STABILITY AND REACTIVITY

stability: Stable conditions to avoid: Open flame

INCOMPATIBILITY (MATERIAL TO AVOID): Strong acids or bases, oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:

Carbon monoxide and other inidentified organic compounds may be released during combustion.

HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID (POLYMERIZATION): NA

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:CAS NO:OSHA PEL-TWA:ACGIH TLV-TWA:Petroleum hydrocarbon solvent64742-47-8500 ppm100 ppmOctamethylcyclotetrasiloxane556-67-210 ppm10 ppm

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Octamethylcyclotetrasiloxane 556-67-2 Evidence of reproductive effects in laboratory animals.

MARINE POLLUTANT: Does not present a risk to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

waste disposal method: In accordance with Federal, State and local regulations.

RCRA HAZARD CLASS: Not Regulated

Cook Auto Supply Pro Phase VOC296

SECTION 14: TRANSPORT INFORMATION

DOT: U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Cleaning Compounds Not regulated in accordance with the 49 CFR

<u>IATA - AIR TRANSPORTATION</u>

PROPER SHIPPING NAME: Flammable liquid, NOS (contains Petroleum Distillates)

HAZARD CLASS: 3 ID NUMBER: UN1993 PACKING GROUP: III LABEL STATEMENT: FLAMMABLE

LIMITED QUANTITY: 60 L

IMDG - WATER TRANSPORTATION

PROPER SHIPPING NAME: Flammable liquid, NOS (contains Petroleum Distillates)

HAZARD CLASS: 3 ID NUMBER: UN1993 PACKING GROUP: III LABEL STATEMENT: FLAMMABLE

LIMITED QUANTITY: 5 L

OTHER AGENCIES: NA

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances

EPA SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

302 EXTREMELY HAZARDOUS SUBSTANCES: None 311/312 HAZARD CLASS: Chronic, Fire

304 CERCLA HAZARDOUS SUBSTANCES: None 313 TOXIC CHEMICALS: None

STATE REGULATIONS:

Pennsylvania RTK: Octamethylcyclotetrasiloxane 556-67-2

New Jersey RTK: Octamethylcyclotetrasiloxane 556-67-2

WHMIS (CANADA) HAZARD SYMBOL AND CLASSIFICATION Class: B3, Combustible Liquid

INTERNATIONAL REGULATIONS: Not Regulated

INTERNATIONAL LISTS:

All chemical substances in this material are included on or exempted from listing on the following lists: Australia (AICS),

Canada (DSL/NDSL), Europe (EINECS/ELINCS), Korea (TCCL), Japan (METI), the Philippines (RA6969).

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: Cook Auto Supply

• END OF DOCUMENT •

Cook Auto Supply Pro Phase VOC296